

## Receive a Lighting Quote in 3 easy steps



### Complete

The digital PDF quote form which can be found on TaskLighting.com under Resources.



### Attach


Your floor plans or elevations with dimensions



### E-mail

This information to receive a FREE layout and quote – send to [DesignAndSupport@TaskLighting.com](mailto:DesignAndSupport@TaskLighting.com)

<b>TASK lighting</b>		
Job Name: <u>Example Home Project</u>		
Date Needed By: <u>12/31/2018</u>		
Dealer Name: <u>ABC Hardware</u>		
Dealer No.: <u>1234567</u>		
Notes:		
TYPE OF PROJECT: Residential Showroom		
TYPE OF LIGHTING: Track & Pin-Point		
Track Lighting - no housing with Aluminum Housing		
Pin-Point Assembled Fixtures		
Lighted Power Strip		
Puck Lights		
SELECT KELVIN TEMPERATURE: 2700K warm white, 3000K cool white, 4000K cool white, 5000K daylight white		
TYPE OF POWER SUPPLY: Plug-In - uses a 120V/150W dimming system, Waterproof Hardwired - uses a 120V/150W dimming system, Hardwired - uses a 120V/150W dimming system		
DO YOU NEED APS? (per power strip): Yes No		
SELECT FINISH OPTION (per power strip): Black (BK), Bronze (BR), Satin Nickel (SN), White (WT)		



<b>TASK lighting</b>		
Job Name: <u>Example Home Project</u>		
Date Needed By: <u>12/31/2018</u>		
Dealer Name: <u>ABC Hardware</u>		
Dealer No.: <u>1234567</u>		
Notes:		
TYPE OF PROJECT: Residential Showroom		
TYPE OF LIGHTING: Track & Pin-Point		
Track Lighting - no housing with Aluminum Housing		
Pin-Point Assembled Fixtures		
Lighted Power Strip		
Puck Lights		
SELECT KELVIN TEMPERATURE: 2700K warm white, 3000K cool white, 4000K cool white, 5000K daylight white		
TYPE OF POWER SUPPLY: Plug-In - uses a 120V/150W dimming system, Waterproof Hardwired - uses a 120V/150W dimming system, Hardwired - uses a 120V/150W dimming system		
DO YOU NEED APS? (per power strip): Yes No		
SELECT FINISH OPTION (per power strip): Black (BK), Bronze (BR), Satin Nickel (SN), White (WT)		

## Don't know where to start?

Do you have more questions before completing and submitting your quote form? Call 866-848-9094 or e-mail [DesignAndSupport@TaskLighting.com](mailto:DesignAndSupport@TaskLighting.com). Get connected with one of our friendly in-house Design Services staff members to help you pick out the lighting products that will work best in the space.

<b>TASK lighting</b>																										
Design Services 866-848-9094 <a href="mailto:DesignAndSupport@TaskLighting.com">DesignAndSupport@TaskLighting.com</a>																										
<table border="1"> <thead> <tr> <th>QUANTITY</th> <th>SYMBOL</th> <th>ITEM NUMBER</th> <th></th> </tr> </thead> <tbody> <tr> <td>2</td> <td></td> <td>S08-30X30X100-FR0</td> <td>30° SempriaLED Fixture</td> </tr> <tr> <td>1</td> <td></td> <td>1-0700W-48W-001</td> <td>48 watt hardwired power supply</td> </tr> <tr> <td>1</td> <td></td> <td>S08-WW-48X12-COLOR</td> <td>sempriaLED wire joint</td> </tr> <tr> <td>1</td> <td></td> <td>SP-20X-20-2</td> <td>20 ft roll 20-2 solid wire</td> </tr> <tr> <td>1</td> <td></td> <td>48V-000P-COLOR</td> <td>Magnetic low voltage driver</td> </tr> </tbody> </table>			QUANTITY	SYMBOL	ITEM NUMBER		2		S08-30X30X100-FR0	30° SempriaLED Fixture	1		1-0700W-48W-001	48 watt hardwired power supply	1		S08-WW-48X12-COLOR	sempriaLED wire joint	1		SP-20X-20-2	20 ft roll 20-2 solid wire	1		48V-000P-COLOR	Magnetic low voltage driver
QUANTITY	SYMBOL	ITEM NUMBER																								
2		S08-30X30X100-FR0	30° SempriaLED Fixture																							
1		1-0700W-48W-001	48 watt hardwired power supply																							
1		S08-WW-48X12-COLOR	sempriaLED wire joint																							
1		SP-20X-20-2	20 ft roll 20-2 solid wire																							
1		48V-000P-COLOR	Magnetic low voltage driver																							
<p>Wiring is based upon job site conditions. Additional power supplies &amp; receivers may be needed based upon areas required and zones needed.</p>																										

Sample layout from Design Services showing sempriaLED™ assembled lighting fixtures





## Contact Design Services for assistance

Call us at 866-848-9094 or e-mail [DesignAndSupport@TaskLighting.com](mailto:DesignAndSupport@TaskLighting.com) with your technical support questions, for layout suggestions, and advice on lighting products to install. Our friendly staff will help with selecting between pre-assembled fixtures and tape lighting, recommended color temperatures for your application, and product specification and installation help.

Help selecting between Kelvin temperatures to fit your space



Assistance with deciding what controller works best for your lighting design



Uno Controller  
T-Q-1Z-WC-RF-WT



Duo Controller  
T-Q-2Z-WC-RF-WT



Quattro Controller  
T-Q-4Z-WC-RF-WT




Touch Dimmer  
T-TDS-60W



Hardwired Dimmer  
DVLV-600P-WT

Recommendations for the best lighting and power locations



Task Power				
QUANTITY	SYMBOL	ITEM NUMBER		
1		<b>TR18-2WD-P-WT</b> 18" TR Series Angle Power Strip with white device, white finish		
1		<b>TRU18-2WD-P-WT</b> 18" TRU Series Angle Power Strip with white device, white finish		
2		<b>TR24 2WD P WT</b> 24" TR Series Angle Power Strip with white device, white finish		
2		<b>TRU24-2WD-P-WT</b> 24" TRU Series Angle Power Strip with white device, white finish		

Sample layout from Design Services showing Angle Power Strip fixtures



# Design Services

## Sample Layouts



Sample layout showing Angle Power Strip fixtures

Design Services  
866-848-9094  
DesignAndSupport@TaskLighting.com

Task Power				
QUANTITY	SYMBOL	ITEM NUMBER		
1		<b>TR18-2WD-P-WT</b> 18" TR Series Angle Power Strip with white device, white finish		
1		<b>TRU18-2WD-P-WT</b> 18" TRU Series Angle Power Strip with white device, white finish		
2		<b>TR24-2WD-P-WT</b> 24" TR Series Angle Power Strip with white device, white finish		
2		<b>TRU24-2WD-P-WT</b> 24" TRU Series Angle Power Strip with white device, white finish		

Sample layout showing Lighted Power Strip fixtures

Design Services  
866-848-9094  
DesignAndSupport@TaskLighting.com

sempriaLED Lighted Power Strip				
QUANTITY	SYMBOL	ITEM NUMBER		
1		<b>LP18HR9NDWWT30</b> 18-1/2" Lighted Power Strip white with white receptacles, 3000 K		
1		<b>LP30HR15NDWWT30</b> 30-1/2" Lighted Power Strip white with white receptacles, 3000 K		
2		<b>LP36HR18NDWWT30</b> 36-1/2" Lighted Power Strip white with white receptacles, 3000 K		
1		<b>LP42HR21NDWWT30</b> 42-1/2" Lighted Power Strip white with white receptacles, 3000 K		
1		<b>LP60HR30NDWWT30</b> 60-1/2" Lighted Power Strip white with white receptacles, 3000 K		
1		<b>T-DT120W-12V-HW</b> 120 watt hardwired power supply		
1		<b>DVLV-600P-WH</b> Magnetic low voltage dimmer		
1		<b>SP-20LF-20-2</b> 20 ft roll 20-2 solid wire		



Sample layout showing illumaLED™ Tape Lighting

Wiring is based upon job site conditions.  
Additional power supplies & receivers may be needed  
based upon areas required and zones needed.

Design Services  
866-848-9094  
DesignAndSupport@TaskLighting.com

**illumaLED Tape Lighting Kit**  
L-VK1Z1A-16-30 Kit Includes  
Vivid Series 1 Zone 1 Area 16' Tape Light

QUANTITY	SYMBOL	ITEM NUMBER	
1		L-VMW600-16-30 16 ft roll Vivid Series LED Tape Light	
1	<b>60</b>	T-60W-12V-P1 60 watt plug-in power supply	
1	<b>REC</b>	T-Q-WR96 96 watt receiver	
2	one connector	L-8MM-EZ6PK-W Tape light to wire connector (6 pk included in kit)	
1		T-22G-CW-25 25 ft roll 22 gauge stranded wire	
1		T-Q-4Z-WC-RF-WT Quattro 4-Zone controller	
1	not shown on drawing	L-APW-4298 3M Adhesive Promoter Wipes	
1	not shown on drawing	T-TOOL-SD1 Pen style screwdriver, 2 sizes Phillips and flat heads	

Sample layout showing sempriaLED™ assembled lighting fixtures

Wiring is based upon job site conditions.  
Additional power supplies & receivers may be needed  
based upon areas required and zones needed.

Design Services  
866-848-9094  
DesignAndSupport@TaskLighting.com

**sempriaLED Under Cabinet Lighting**

QUANTITY	SYMBOL	ITEM NUMBER	
2		SG9-30ND15W-F40 30" sempriaLED fixture	
1	<b>48</b>	T-DT48W-12V-HW 48 watt hardwired power supply	
1	Mitre joint not indicated on floor plan	SG9-WW-MI12-COLOR sempriaLED mitre joint	
1		SP-20LF-20-2 20 ft roll 20-2 solid wire	
1	<b>\$D</b>	DVLV-600P-COLOR Magnetic low voltage dimmer	